

EAGLE-GRIP™ ATTACHMENT SPECIFICATIONS

EAGLE-GRIP™ 1 SERIES (LIGHT DUTY – LOW VOLUME - SINGLE CLAMPING MECHANISM)

Model	Capacity (lbs/kg)	Weight (lbs/Kg)	H x L x W (inches) (mm)		Drums Handled	Description
EG1SCM-CM	750/341	49/22	34x13.5x14	864x343x356	1	Carriage Mount
EG1SCM-F	750/341	110/50	35x34x31	889x864x787	1	Fork Mount
EG1SCM2-F	1500/682	157/71	35x34x38	889x864x965	1 or 2	Fork Mount

EAGLE-GRIP™ 2 SERIES (LIGHT DUTY – LOW VOLUME – DOUBLE CLAMPING MECHANISM)

Model	Capacity (lbs/kg)	Weight (lbs/Kg)	H x L x W (inches) (mm)		Drums Handled	Description
EG2LDCM-CM	1000/454	66/30	34x35x14	864x889x356	1	Carriage Mount
EG2LDCM-F	1000/454	126/57	35x35x31	889x889x787	1	Adjustable Fork Mount
EG2LDCM2-F	1500/680	189/86	35x35x39	889x889x990	1 or 2	Adjustable Fork Mount

* Consult factory for specifications of EG2 heads mounted in heavy frames

Replacement fork mount frame for EG1 or EG2 model

EG1-2Forkmnt	1500/682	68.5/31	5x29.5x31	127x749x787	0	Replacement Mount
--------------	----------	---------	-----------	-------------	---	-------------------

* All Carriage Mount models are made to fit a Class II carriage unless otherwise specified

EAGLE-GRIP™ 3 SERIES (HEAVY DUTY – HIGH VOLUME – SINGLE CLAMPING MECHANISM)

Model	Capacity (lbs/kg)	Weight (lbs/Kg)	H x L x W (inches) (mm)		Drums Handled	Description
EG3SCM-CM	1500/680	85/39	33x15x18	838x381x457	1	Carriage Mount
EG3SCM-NF	1500/680	200/91	37x47x24	940x1194x610	1	Narrow Fork Mount
EG3SCM-F	1500/680	290/132	37x47x33	940x1194x838	1	Adjustable Fork Mount
EG3SCM2-F	3000/1361	380/172	37x47x33	940x1194x838	1 or 2	Adjustable Fork Mount

EAGLE-GRIP™ 4 SERIES (HEAVY DUTY – HIGH VOLUME – DOUBLE CLAMPING MECHANISM)

Model	Capacity (lbs/kg)	Weight (lbs/Kg)	H x L x W (inches) (mm)		Drums Handled	Description
EG4DCM-CM	2000/907	110/50	33x15x18	838x381x457	1	Carriage Mount
EG4DCM-NF	2000/907	228/103	37x47x24	940x1194x610	1	Narrow Fork Mount
EG4DCM-F	2000/907	316/143	37x47x33	940x1194x838	1	Adjustable Fork Mount
EG4DCM2-F	4000/1815	432/196	37x47x33	940x1194x838	1 or 2	Adjustable Fork Mount

Replacement fork mount frame for EG3 or EG4 model

EG3-4Forkmnt	4000/1815	220/100	20x43x33	508x1092x838	0	Replacement Mount
--------------	-----------	---------	----------	--------------	---	-------------------

* All Carriage Mount models are made to fit a Class II carriage unless otherwise specified


EAGLE-POLY GRIP™ ATTACHMENT (Specify for 55 gallon or 30 gallon Mauser style drums)

Model	Capacity (lbs/kg)	Weight (lbs/Kg)	H x L x W (inches) (mm)		Drums Handled	Description
EPG1-F	800/363	140/64	22x52x27	559x1321x686	1	Fork Mount
EPG2-F	1600/725	190/86	22x51x52	559x1296x1321	1 or 2	Fork Mount

EAGLE-TALON GRIP™ ATTACHMENT

Model	Capacity (lbs/kg)	Weight (lbs/Kg)	H x L x W (inches) (mm)		Drums Handled	Description
ETG1	2000/907	75/34	27x24x14	686x610x356	1	Under Hook Mount

Please call for additional specifications relating to Grip & Weigh™ and Quick-Claw™ options.



Easy Lift Equipment Co., Inc.
 2 Mill Park Court
 Newark, Delaware 19713
 800-233-1800 or 302-737-7000
 Fax: 302-737-7333
 website: www.easylifteqpt.com
 e-mail: sales@easylifteqpt.com

Distributed by:



FOR HANDLING AND WEIGHING DRUMS

Eagle-Grip™ attachments are the safest, most durable quality built lift truck attachments available anywhere for handling any drum. Precise manufacturing tolerances reflect the quality American craftsmanship of all Eagle-Grip™ products. Component parts are laser cut, machined and hardened, never stamped. Steel alloy investment casted jaws are engineered to provide years of reliable service, backed by a 24-month unconditional warranty, the longest in the industry.

The EG1 Series lift truck attachments utilize a light duty Eagle-Grip™ single automatic clamping mechanism for handling any size steel or plastic chimed drum. The model EG1SCM-F and EG1SCM2-F are knock-down units that bolt together. Fork pockets and safety chain provide a quick and easy installation to most all lift trucks. The model EG1SCM-CM attaches to the carriages of most lift trucks and walkie stackers. All models are available with a belt base and non-sparking jaws for handling flammables and can ship via UPS.

EAGLE-GRIP™ 1 SERIES ATTACHMENTS
Light Duty-Single Clamping Mechanism
750 lb. capacity per drum



EG1SCM - F Single Drum Attachment
 Handles all chimed steel or plastic drums.



Handles 1 or 2 drums in low volume applications.

EAGLE-GRIP™ 2 SERIES ATTACHMENTS
Light Duty-Double Clamping Mechanism
1000 lb. capacity - 1 drum
1500 lb. capacity - 2 drums



EG2LDCM-F with standard beltbase.



EG2 Series swiveling heads work on most different drum chime configurations.

The EG2 Series lift truck attachments utilize a light duty Eagle-Grip™ double articulating clamping mechanism for handling any size steel, fibre or plastic chimed drum. The model EG2DCM-CM attaches to all Class II lift truck carriages. Other EG2 models are provided with totally enclosed fork pockets and a safety chain to attach to the lift truck carriage. All Eagle-Grip™ clamping mechanisms are completely automatic requiring no electrical or hydraulic connections. The articulating or swivel feature of the heads permits simple pickup of drums that are misaligned and slightly separated. Standard belt bases support the lower side of the drum eliminating dents or cosmetic marring. Optional non-sparking jaws are available for handling flammables.

EAGLE-POLY GRIP™ ATTACHMENTS
800 lb. capacity per drum



EPG2-F
 Completely mechanical attachment slides on/off forks in seconds.



Handles 1 or 2 drums at a time.



Mechanical clamping arms hold tapered drums tightly for transport.



Drums rest against circular backrest for correct vertical support.

European style plastic drums have steadily increased in numbers worldwide, especially among exporters of fruit juices and other food products. Having no lifting chime, they are typically manhandled from double stacked overseas containers. The model EPG2-F can handle 1 or 2 drums at a time through the use of clamping arms which wrap around the tapered sides of the drum.

This attachment slides on the forks of any lift truck. Its fully automatic mechanical design requires no hydraulic or electrical connections to the lift truck. A safety chain with cam lock secures the attachment to the lift truck in seconds without the need for tools.

Models are available as single or double drum units handling 55 or 30 gallon size drums.

The model ETG1 is an under hook attachment used for lifting and transporting all types of steel, plastic and fibre drums. The positive mechanism of the ETG1 is completely mechanical and requires no electrical connections to the hoist or crane. An adjustable sliding counterweight can be preset to keep drums vertical. A protective belt on the base eliminates cosmetic abrasions to the side of the drum. Special units are available to lift 2 drums at a time.

Optional non-sparking jaws are available for handling flammables.

EAGLE-TALON GRIP™ ATTACHMENTS
1500 lb. capacity per drum



Model ETG1 can handle any chimed drum of all sizes. Adjustable counterweight keep drums of different weights and diameters perpendicular to floor when lifted. Used in conjunction with a hoist for palletizing drums off fill lines or placement in secondary containment pallets.

TRIAL PROGRAM AVAILABLE FOR ALL MODELS
Call Today for Complete Details.

GRIP & WEIGH™ -

Scale Options for Eagle Grip Attachments

Increases Workplace Safety & Productivity By:

Eliminating excessive manhandling of drums to and from floor scales.

Instantly checks the weights of incoming raw materials in drums while unloading.

Providing easy weight verifications of outgoing wastes in drums.

Drastically reduces the time required to inventory weights of partial drums manually.



Model EG1SCM-F-S extremely accurate and economical



Model EG4DCM-NF-IS handles drums to 2000 lb.



Model EG4DCM2-F-S for high volume drum weighing

All Eagle-Grip™ attachments can be equipped with custom load cells and indicators to provide a self contained means of weighing single drums using a lift truck or stacker. There are no external connections to the lift truck besides the OSHA safety chain.

The Eagle-Grip™ 1 & 2 Series attachments are recommended for most industrial weighing and drum handling applications.

The Eagle-Grip™ 3 & 4 Series attachments are necessary for high volume handling and when intrinsically safe weighing is required for hazardous areas.

Attachments with intrinsically safe weighing systems are provided with non-sparking jaws and heavy belts to support the lower third of the drum.

Eagle-Grip™ attachments are also available to weigh up to two drums at a time. These models require the indicator to be mounted to the overhead guard of the lift truck. Weights for each drum can be stored and downloaded to a computer through the indicator. An optional label printer provides a means of tracking product, printing company information, weights and more.



Model EG2LDCM-F-S with double clamping head



Doran Model 8000-IS Indicator for use in intrinsically safe areas



Indicator & Label Printer conveniently mounted

EAGLE-GRIP™ 3 SERIES ATTACHMENTS

Heavy Duty-Single Clamping Mechanism

1500 lb. capacity per drum



Fork pockets and safety chain provide quick installation to any lift truck.



Quick vertical head adjustments permit handling of shorter height drums.



Narrow fork models remove tightly nested drums with ease.

The EG3 Series lift truck attachments utilize a heavy duty Eagle-Grip™ single automatic clamping mechanism for handling steel and plastic chimed drums in high volume applications.

The clamping mechanisms are completely mechanical requiring no hydraulic or electrical connections. Positive action jaws insure safe transporting of drums without damage to drum chimes. Carriage mounted models are available to mount directly on the carriage of most lift trucks for tight aisle applications.

Fork mounted models enable lift truck operators to install or remove the attachment in seconds without any tools. Totally enclosed fork pockets with attached safety chain and cam lock secures the attachment to the lift truck. Fork mounted models can handle 1, 2, 3 or 4 drums simultaneously.

Attachments handling 2 or more 55-gallon drums are narrower than the width of the drums themselves. This makes easy unloading of drums that are tightly packed in trailers or overseas containers. Quick adjustable heads allow pick-up of various drum heights. Standard belt bases support the lower side of the drum eliminating dents or cosmetic marring.

Optional non-sparking jaws are available for handling flammables.



Step tiering drums without pallets saves valuable warehouse space.



Heavy duty positive clamping jaws provide safe high volume handling of steel and plastic drums.



Single drum attachment can be converted to a double drum unit by adding another EG3SCM-CM unit.

EAGLE-GRIP™ 4 SERIES ATTACHMENTS

Heavy Duty-Double Clamping Mechanism

2000 lb. capacity per drum

The top of the line EG4 Series lift truck attachments incorporates heavy-duty Eagle-Grip™ double articulating clamping mechanisms for handling any steel, plastic or fibre chimed drums in high volume applications. These units provide the safest available method of lifting and transporting chimed drums.

The clamping mechanisms are completely mechanical requiring no hydraulic or electrical connections. Each drum is gripped with two upper and lower jaws in heads that are spaced about 6 inches apart. The swivel action of the EG4 Series is operator friendly permitting pickup of misaligned or slightly separated Drums. The EG4 Series is strongly recommended when handling fibre and plastic drums in excess of 600 lbs. and light gauge open head steel drums.

Carriage mounted models are available to mount directly on the carriage of most lift trucks for tight aisle applications.

Fork mounted models enable lift truck operators to install/ remove the attachment in seconds without any tools. Totally enclosed fork pockets with attached safety chain and cam lock secures the attachment to the lift truck. Fork mounted models can handle 1, 2, 3 and 4 drums simultaneously.

Quick adjustable heads allow pickup of various drum heights. Standard belt bases support the lower side of the drum eliminating dents or cosmetic marring.

Optional non-sparking jaws are available for handling flammables.

Choose The Confidence That Comes With Quality American Craftsmanship!



Carriage mounted models fit any Class II carriage for handling drums in congested areas.



Order picking saves time by eliminating the need to manually handle one drum from a full pallet.



Protective belt cradles eliminate cosmetic marring on any drum surface.



Double gripping jaws are ideal for light gauge open-head steel drums in high volume applications



Double clamping mechanism disperses the load on the chime of any fibre drum.



Single drum unit can be converted to a double drum attachment at a later date.

“QUICK-CLAW™” SAFETY RESTRAINT SYSTEM

Secures and releases Eagle-Grip attachments automatically

Fast and efficient – No operator dismount required

Prevents slippage accidents



The Patented “Quick-Claw™” safety system locks Eagle-Grip™ attachments to the lift truck forks automatically. Unique rotating cams bind to the heel of each fork when lifted off the ground. The cams retract and release the attachment when contact with the ground is made again.

Safety & Compliance:

Over 95% of our customers do not use the standard safety chain to secure the attachment to the lift truck. Over 50% of our customers have the safety chain missing from the attachment. With the addition of “Quick-Claw™” to the attachment, the attachment is secure the instant it leaves the ground. This method is compliant with federal and state safety codes.

Increases Productivity:

Cuts on costs and improves productivity while driver focuses on tasks at hand – without dismounting to secure or unsecure the attachment to handle pallets.

Versatility and Reliability:

Built to last and fully guaranteed to work on any lift truck. Unconditional 24-month warranty, parts and labor. Also, backed by unlimited toll-free support.

Retrofit to Older Models:

Can be added to older model attachments. Free loaner attachments can be provided upon request. Free trials available for on-site evaluation.

Preventative Maintenance Kits:

Keep your Eagle-Grip Attachments in top condition by stocking our preventative maintenance kits.

Each P.M. Kit includes: all replacement springs, a belt and miscellaneous hardware at discounted pricing.

Kits are available for all Eagle-Grip models.

All two drum handling attachments require two P.M. Kits.

